

# (12) UK Patent Application (19) GB (11) 2 336 925 (13) A

(43) Date of A Publication 03.11.1999

(21) Application No 9902631.2

(22) Date of Filing 05.02.1999

(30) Priority Data

(31) 09070373

(32) 30.04.1998

(33) US

(71) Applicant(s)

Fujitsu Limited

(Incorporated in Japan)

1-1 Kamikodanaka 4-chome, Nakahara-ku,  
Kawasaki-shi, Kanagawa 211-8588, Japan

(72) Inventor(s)

Nobuo Ogasawara

(74) Agent and/or Address for Service

Hasekine Lake & Co

Imperial House, 15-19 Kingsway, LONDON,  
WC2B 6UD, United Kingdom

(51) INT CL<sup>6</sup>

G06F 17/60, G06K 17/00

(52) UK CL (Edition Q)

G4H HJ HNEE H1A H13D H14A H14B H14G H60  
U1S S1727

(56) Documents Cited

GB 2307575 A WO 97/29452 A1 US 5691684 A

(58) Field of Search

UK CL (Edition Q) G4H HJ HNEC HNEE HNP  
INT CL<sup>6</sup> G06F, G06K  
ONLINE:WPI,EPODOC,PAJ

(54) Abstract Title

**Electronic shopping system**

(57) An electronic personal shopping system, uses communication between a store computer (50) and a mobile terminal (5) for organizing a consumer's movement through a retail facility in accordance with the consumer's current location and the locations of desired items on either a shopping list or a recommended replenishment item list. The shopping list and recommended replenishment item list are hosted on a customer IC card and read by a mobile shopping terminal (5). A price look-up table is maintained in a store database and includes location indicia identified to each merchandise item of the store's inventory. As a product is scanned using a barcode scanner (15) that item's location indicia is assumed to represent a customer's current location. A desired destination item is taken from the shopping list or the recommended replenishment item list and a distance and direction metric is calculated based on the customer's current location. The system includes 3 processor (20) capable of developing a recommended replenishment item list from a series of shopping history data records also hosted on the IC card. Each shopping trip results in preparation of a most recent shopping history data record.




FIG. 1

GB 2 336 925 A

PAT-009B




FIG. 1

The diagram illustrates a 'Shopping History' table structure. It consists of two identical tables stacked vertically, with a label 'Stored Cyclically' and a vertical ellipsis between them, indicating a repeating pattern.

**Table 1 (Top):**

Date of Purchase		Total
Item Description	Quantity/Unit	Price
Item Description	Quantity/Unit	Price
Item Description	Quantity/Unit	Price
Item Description	Quantity/Unit	Price
.	.	.
.	.	.
.	.	.

**Table 2 (Bottom):**

Date of Purchase		Total
Item Description	Quantity/Unit	Price
Item Description	Quantity/Unit	Price
Item Description	Quantity/Unit	Price
Item Description	Quantity/Unit	Price
Item Description	Quantity/Unit	Price
.	.	.
.	.	.
.	.	.


Below the tables, the text 'Stored Cyclically' is displayed next to a vertical ellipsis, indicating that the data is stored in a cyclic manner.

**FIG. 3**

[illegible]

**FIG. 4**

FIG. 5A






FIG. 5B




FIG. 9

PLU Table

SKU	ITEM Information Brand Name      Generic Name		Price	Location Information
00001	(Brand Name)	Apples	\$1.99	Location-a
00002	(Brand Name)	Tissues	\$2.99	Location-b
00003	(Brand Name)	Spice	\$4.99	Location-c
00004	(Brand Name)	Spice	\$3.29	Location-c
.	.	.	.	.
.	.	.	.	.
.	.	.	.	.
.	.	.	.	.
.	.	.	.	.

300

FIG. 6




FIG. 7






FIG. 8

## 1 ELECTRONIC SHOPPING SYSTEM

5

This invention relates generally to an electronic shopping system, and, more particularly, to a computer based system for displaying information to a customer.

10

15 Retail stores today, especially supermarkets, compete fiercely to attract customers to their stores. One mode of attraction is via savings offered to customers in the two areas which are valued highly by most: time and money.

Most modern retail stores today use point of sale (POS) systems for providing customers with better, faster service. A POS system generally has one or more automated check-out terminals which is capable of sensing and interpreting the bar code printed on each item of merchandise to be checked out. Contained in the bar code is the item's Stock Keeping Unit (SKU) code. Each of the check-out terminals is connected to a computer which processes the SKU information. The computer's database includes a list of items of merchandise in the store, an SKU for each of these items, and various types of information, including pricing and inventory information, associated with each SKU. When a customer is ready to make a purchase, the store clerk simply uses an automated terminal to sense the bar code on each of the customer's selections. The computer interprets the SKU contained in the bar code, looks up the price for each item, and keeps a running total of the purchase.

35

1 Savings in money are offered to customers by the stores  
through lower prices on particular items of merchandise. To  
inform customers of such sales items, stores advertise through  
direct mail, radio, television, and/or newspapers, and often  
5 offer coupons for taking advantage of the promotional items.  
Furthermore, within the store itself, signs on shelves and on  
shopping carts, as well as bold pricing indicators on the  
products for sale, aim to catch a customer's attention and cause  
him or her to purchase the sales products.

10 The existing systems and programs designed to enable a  
customer to save time and money, however, leave a lot to be  
desired. For instance, although POS systems aid customers to  
speed the checkout process, they do not help reduce time during,  
or even before the shopping process begins. At home, customers  
15 often spend valuable time in preparing for the next shopping  
visit. For example, before going shopping, customers often  
investigate what items need to be replenished and what new items  
need be purchased. Many customers also spend time making shopping  
lists based on those investigations.

20 Once in the store, a customer continues to spend a  
considerable amount of time trying to locate the items that need  
to be purchased. Although in many supermarkets, signs throughout  
the store give customers a general indication as to the location  
of various categories of products, these signs fail to give  
25 customers precise location and direction information of specific  
products. Thus, many customers will roam the aisles in trying to  
locate the items he or she wants to purchase.

Customers, moreover, often fail to obtain the full benefit  
of the savings offered by a store. Despite the advertisements and  
30 signs within the store, it is not uncommon for a customer to walk  
by a sales item without realizing that it is on sale. Even if a  
customer does attempt to purchase an item advertised as being on  
sale, when the item is scanned during check-out, the price  
charged to the customer will sometimes not reflect the sales  
35 price and will go by unnoticed by the customer.

1       Therefore, there is a need for a shopping system which will  
aid customers to save time and money during shopping. Such system  
should give directions to the customer on items to purchase based  
on the customer's current location, and give suggestions on  
5 promotional items and items that the customer may need to  
replenish.

10  
      It is desirable that an electronic personal shopping system  
can be used in a retail facility to assist shoppers to  
efficiently organize their shopping trips in order to save time  
and money. Further, it is desirable that the electronic personal shopping  
15 system is able to give directions to the shopper to various items in the store  
based on the shopper's current location and is also able to offer  
suggestions on promotional items and items that the customer may  
need to replenish.

20       In accordance with one aspect of the invention, the  
electronic personal shopping system includes a mobile terminal  
which may be either hand-held or mounted on a shopping cart at  
the desire of the customer. The mobile terminal is a  
microprocessor controlled unit and includes a portable scanner  
configured to read bar code information directly from items being  
25 considered for purchase. The mobile terminal is further  
configured to communicate with a store central computer by means  
of an individually addressable RF communication transceiver.  
Processed information is displayed to the customer on an LCD  
display panel. The mobile terminal further includes a  
30 reader/writer unit for interfacing with a smart-card like a  
customer ID card and a memory for storing data received either  
from the store central computer, the customer ID card, or both.

35       A merchandise item database, comprising at least a Price  
Look Up Table is organized into the store central computer's  
memory and is configured to include identification indicia for

1 each item of merchandise, such as brand name, generic name, price  
and the like and also includes location information for each item  
of store merchandise. As a customer scans the bar code of a  
particular item, the store central computer accesses that item's  
5 location information and assigns that particular location to be  
the customer's current location. Either the store central  
computer or the mobile terminal is then able to calculate a  
direction and distance to a desired destination item based on the  
customer's current location and the location information assigned  
10 to the destination item in the merchandise item database.

In one particular aspect of the invention, the desired  
destination item is identified by processing the contents of a  
customer's shopping list and choosing the closest item to the  
customer's current location as the desired destination item.  
15 Direction and distance information, i.e., aisle and shelf number,  
is displayed on the mobile terminal's display panel. Each  
customer's shopping list is provided to the mobile terminal in  
various forms depending on the technology regularly available to  
a customer. A shopping list is recorded in a memory location on  
20 a customer's ID card and is read into the mobile terminal through  
the reader/writer unit. The mobile terminal may then transmit  
the shopping list to the store central computer using the RF  
communication transceiver. Alternatively, the shopping list is  
prepared on a customer's home personal computer system and is  
25 uploaded to the store's web site through an Internet connection.  
The shopping list is then downloaded from the web site to the  
mobile terminal. An optical scanner is able to read handwritten  
shopping lists that have been prepared in advance by a consumer.  
Handwritten shopping lists are converted into digital data by an  
30 OCR translation application and are either written to the  
customer's ID card or sent directly to the mobile terminal.  
However prepared and input, the customer's shopping list provides  
one basis for either the mobile terminal or the store central  
computer system to determine a desired destination item and  
35 prepare a suitable, high efficiency path through the store.

1        In a further aspect of the invention, desired destination  
items are suitably chosen from a recommended replenishment item  
list with the closest item to the customer's current location  
being chosen as the desired destination item. The recommended  
5        replenishment item list is generated in this aspect of the  
invention by evaluating shopping history data records which are  
maintained on the customer ID card and analyzing items found in  
the data records with respect to a predetermined purchase  
interval period and the frequency of purchases of that particular  
10        item. Frequently purchased items for which a suitable period of  
time since the last purchase has elapsed are included as  
recommended items on a replenishment item list. In addition, a  
customer is able to affirmatively add certain items of  
merchandise to the recommended replenishment item list as well  
15        as delete certain items from the list which the customer no  
longer wishes to purchase. The recommended replenishment item  
list is written, by the mobile terminal, to a particular memory  
location on the customer's ID card, where it updates any  
previously written recommended replenishment item tables. The  
20        recommended replenishment item table may be transmitted to a  
store central computer system over the mobile terminal's RF  
communication link.

      In a further aspect of the present invention, the customer  
ID card includes a customer personal profile memory section which  
25        lists certain demographic information with regard to the  
customer, such as age, sex, family status, i.e., children, and  
the like. Based on the customer's personal profile, either the  
mobile terminal or the store central computer develops  
recommended promotional items which a customer with that profile  
30        would likely purchase. A closest promotional item to the  
customer's calculated current location is then identified as the  
desired destination item and the mobile terminal displays those  
directions to the customer.

      Thus, in accordance with the invention, customers are able  
35        to realize labor saving benefits during a shopping trip by moving

1 through a store in a more efficient manner. Customers no longer  
need to search through the entire store to find a particular item  
of merchandise, but are instead directed to each next desired  
5 merchandise item along the shortest shopping path. Replenishment  
items, recommended promotional items and items contained on a  
general shopping list are all candidates for a next desired  
destination item based on the customer's current location.  
Current location is assumed to be the store location assigned to  
the last item of merchandise which a customer has scanned into  
10 an electronic personal shopping system's mobile terminal which  
communicates with a store central computer system over an RF  
link.

15

These and other features, aspects and advantages of the  
present invention will be more fully understood when considered  
with respect to the following detailed description, appended  
claims and accompanying drawings wherein:

20 FIG. 1 is an exemplary simplified semi-schematic block  
diagram of a personal shopping system in accordance with the  
present invention;

FIG. 2 is an exemplary semi-schematic block diagram of the  
information storage layout of a customer identification IC card  
25 for use with the personal shopping system of FIG. 1;

FIG. 3 is a conceptual layout diagram detailing the  
organization of a shopping history in accordance with practice  
of the present invention;

FIG. 4 is a conceptual layout diagram detailing the  
organization of a replenishment item table in accordance with  
30 practice of the present invention;

FIGS. 5A and 5B are exemplary flow diagrams for updating a  
replenishment item table and for making recommendations on items  
that require replenishment;

35

1        FIG. 6 is a conceptual layout diagram of an exemplary PLU  
table according to one embodiment of the present invention;

      FIG. 7 is a conceptual layout diagram of an exemplary PLU  
table in accordance with a second embodiment of the invention;

5        FIG. 8 is an exemplary layout diagram of a retail store  
depicting the relationship between item location information and  
the physical arrangement of store shelves; and

      FIG. 9 an exemplary flow diagram of a customer location  
determination system in accordance with practice of the present  
10      invention.

      FIG. 1 illustrates a simplified, semi-schematic, block  
15      diagram of a compact, customer operated movable or mobile  
personal shopping terminal 5, operable in accordance with  
practice of principles of the present invention. The personal  
shopping mobile terminal 5 may be configured as a hand-held  
apparatus, easily carried by a typical shopper, but is preferably  
20      mounted on or affixed to the handle portion of a shopping cart  
(not shown) of the type furnished shoppers for use in a typical  
retail facility. Alternatively, the personal shopping terminal  
5 may be simply supported on a rack or platform, provided on the  
shopping cart, during use of the cart, following which the  
25      personal shopping terminal 5 may be removed and transported to  
a checkout facility. In its broader aspects, the invention only  
contemplates that the personal shopping terminal 5 be mobile and  
immediately accessible in a convenient fashion for viewing by a  
shopper and for operation of its controls, as will be described  
30      subsequently.

      In the illustrated embodiment, the mobile personal shopping  
terminal 5 suitably comprises a display 10 suitable for  
displaying product data and other information in accordance with  
the invention as will be described further below. The display  
35      10 may comprise any unit capable of displaying information, but



1 preferably comprises a VGA or SVGA liquid-crystal-display (LCD)  
screen, an LED display screen, or any other suitable display  
apparatus. Pressure sensitive (touch screen) technology may be  
5 mobile terminal 5 by merely touching certain portions of the  
screen. Alternatively, a numeric or alpha-numeric button or  
keypad arrangement may be provided in combination with the  
display 10 in order to define an input device.

Obtaining information relating to various purchased items  
10 is performed by a universal product code (UPC) bar code scanner  
15, connected to input UPC bar codes to the mobile terminal 5.  
The display 10 and UPC bar code scanner 15 are, in turn, coupled  
to a microprocessor based control unit 20, operating under  
firmware or software program control, for performing any needed  
15 data processing functions and for controlling operation of the  
display 10.

Local storage apparatus 30 is further and optionally coupled  
to the control unit 20 and provides a local memory storage area  
for holding various data and tables (the context and structure  
20 of which will be described in greater detail below) until such  
time as the data is required for processing by the control unit  
20. The local storage 30 may suitably comprise a small form  
factor hard disk drive, a PCMCIA programmable memory card, a  
high-capacity flexible media cartridge and floppy drive  
25 combination, an array of FROM (Flash ROM), SRAM or DRAM memory  
chips, or the like.

Communication between the mobile personal shopping terminal  
5 and an external information source terminal is implemented by  
a wireless communication transceiver 32, preferably configured  
30 to transmit and receive RF signals between the control unit 20  
and a similar transceiver hosted by a retail facility's central  
core server. The wireless communication transceiver 32 suitably  
comprises transmitter 35 and receiver 45 circuits coupled to an  
RF antenna 40. The wireless transceiver 32 is configured to  
35 transmit and receive digital data information at radio

1 frequencies in the range of from about 900 MHz to about 2.4 GHz.  
Of the mentioned RF frequencies, broadcasts in the 900 MHz bands  
are the most common for applications of this type. Passive RF  
5 actuated location devices used by, for example, hospitals and  
other medical facilities, typically operate in the 900 MHz bands,  
while certain warehousing applications utilize RF transmissions  
in the 2.4 GHz bands. The foregoing may, thus, be seen as an  
exemplary frequency spectrum within which any of the bands may  
be used in accordance with the present invention without  
10 limitation. Due to the commercial prevalence of RF transceiver  
circuits operating in the 130 KHz bands, the wireless  
communication transceiver 32 may be adapted to advantageously  
operate in this portion of the RF spectrum.

As shown in the illustrated embodiment of FIG. 1, the mobile  
15 personal shopping terminal 5 communicates, via RF energy, with  
a retail store's core server 50 for purposes of accessing the  
retail facility's database 55 connected in conventional fashion  
thereto. Up-to-date pricing information, as well as the status  
of current store inventory are illustrative of the type of  
20 information comprising the retail facility database 55. For  
example, the facility manager may make a price change anytime to  
any of the products on the store shelves by accessing the core  
server 50 and inputting the appropriate changes to the database  
55. In like manner, as a customer purchases a particular item,  
25 the quantity of that item may be decremented in the database so  
that a current running total inventory may be maintained. The  
wireless communication transceiver 32 provides the mobile  
terminal's control unit 20 with means for communicating with the  
retail facility core server 50 through an RF signal link. It  
30 will be immediately recognized by those having skill in the art,  
that a wireless transceiver need not be directly affixed to the  
core server 50. Rather, a plurality of RF transceivers may be  
located at periodic intervals throughout the retail facility and  
connected to the core server 50 through a local-area-network  
35 (LAN) array configuration, an arbitrated loop, or any other of

1 a variety of conventional client-server topologies.  
Alternatively, communication between the core server 50 and a  
distributed array of RF transceivers may be accomplished, for  
example, by time division multiple access (TDMA), frequency  
5 division multiple access (FDMA), or any other suitable method  
which avoids interference while communicating with multiple  
transceiver units. In any of the foregoing configurations, it  
will be evident to one having skill in the art that the mobile  
personal shopping terminal 5 will always be capable of  
10 communicating with a retail facility's core server, regardless  
of the location of a shopper using the terminal and regardless  
of the size of the retail facility.

An additional I/O device is provided on the mobile personal  
shopping terminal 5 in the form of an IC card interface unit 60,  
15 configured to read information from and write information to an  
IC, or smart card. As will be developed in greater detail below,  
the IC card and card interface unit 60, in combination, provides  
a suitable means for a customer to transport pertinent data to  
and from a retail facility and exchange that pertinent data with  
20 the facility through use of the mobile personal shopping terminal  
5 in accordance with practice of principles of the invention.  
While referred to as an IC card, the card is a personal memory  
card or data card which looks and feels much like an ordinary  
credit card. The IC card may be either contact based or  
25 contactless. The simplest contact-type card might be a magnetic  
tape storage stripe affixed in a particular location on its  
reverse side. Alternatively, a contact or contactless IC card  
may comprise a microprocessor, an electrically erasable field-  
programmable read-only memory (EEPROM), a Flash ROM (FROM) and,  
30 optionally, circuitry for inductively receiving an RF power  
signal. In its second configuration, the IC card is capable of  
capacitively transferring data signals between the card and the  
IC card interface unit 60 and may be interrogated, programmed or  
reprogrammed by read/write circuitry comprising the card  
35 interface 60.

1        Operation of a particular embodiment of the mobile personal  
shopping terminal (5 of FIG. 1) in accordance with practice of  
principles of the invention, will now be described with reference  
to FIGS. 6, 7 and 8. Specifically, shopping convenience is  
5 particularly enhanced by a customer location recognition feature  
of the personal shopping system which is able to recognize a  
customer's current location in a retail facility and, on the  
basis of a customer's current location, provide suitable  
directions or location indicia to promotional items which are  
10 located on store shelves most proximate to the customer's current  
location. Additionally, the customer location recognition  
feature is able to provide suitable directions or location  
indicia to selected items (such as the next item or the nearest  
item on a shopping list) on a particular customer's shopping list  
15 or to proposed replenishment items chosen on the basis of an  
analysis of shopper's personal shopping history, in a manner to  
be described further below. In addition to providing directions  
or location indicia to a shopper on the basis of predetermined  
or generated shopping lists, the customer location recognition  
20 feature is able to respond to customer prompts, by which a  
customer may further make inquiries about the location and  
direction of any specific item in the retail facility.

In the illustrated embodiment of FIG. 6, all merchandise  
information is maintained in a suitable format in a Price Look  
25 Up (PLU) Table which is, in turn, stored and maintained in the  
database (55 of FIG. 1) of a store's core server unit (50 of  
FIG. 1). Such a Price Look Up Table (PLU) is maintained in the  
central database in order that it may be easily accessed by the  
store manager to affect price changes, allocate coupon related  
30 discounts thereto, reflect merchandise location changes, and the  
like. While desirably maintained in the core server's database,  
the PLU Table may alternatively be maintained in the mass data  
storage unit (30 of FIG. 1) comprising a portion of the mobile  
personal shopping terminal. In the alternative case, the PLU  
35 Table, as hosted by the mobile terminal's local storage unit (30

of FIG. 1), is a mirror image of a virtual PLU Table hosted by the store's core server (50 of FIG. 1). Any desired changes to the contents of the PLU Table in local storage is transmitted to the mobile terminal's RF transceiver (32 of FIG. 1) by the store server, at which time the locally stored PLU Table is updated in accordance with the newly provided information. It should be noted that PLU Table updates need not be transmitted to the mobile terminal solely by RF communication. Updating local storage contents may be performed by any number of well known communication methods and might be effected by a LAN connection, an RS-232 connection, IR communication, and the like.

As illustrated in FIG. 6, a PLU Table suitably comprises a merchandise specific information set 300 and a merchandise location information set 310. The merchandise specific information set 300 may be arranged in a variety of ways, but is most advantageously configured as sequential entries, with each entry specific to a particular piece of merchandise. A merchandise entry includes the store's item identifier, such as a Stock Keeping Unit (SKU) number 302, which is identified to a particular product's, Universal Product Code (UPC) by a suitable conversion routine. An item entry further includes a text string, identified to each product, which gives the brand or trade name of the product and might include a generic description of the product as well as an identifying weights and measures metric, i.e., KLEENEX® Tissues, 500 pcs. In addition to the SKU number 302 and identifying text string 304, each item entry includes a price field 306 which might be further subdivided into a field which contains the item price, i.e. \$1.99, and a field which contains comparison price-per-unit prices, i.e., 0.2¢ per piece. Thus, in accordance with the present invention, the merchandise specific information set 300 of the PLU Table, contains all of the necessary information upon which to base a purchasing decision with respect to a particular piece of merchandise, organized in accordance with their SKU codes.

1 In addition, a product location information entry 310 is  
associated with the merchandise specific information set 300,  
such that each item entry comprising the merchandise information  
set is associated with a specific location entry. For example,  
5 as depicted in FIG. 6, an item having an SKU of 00001, (Brand  
Name) Apples, is associated with a particular location, location-  
a, in the location information set 310. Similarly, an item  
having an SKU of 00002, (Brand Name) Tissues, is associated with  
a particular location, location-b, in the location information  
10 set 310. Although this is the simplest approach to matching  
location information to a specific piece of merchandise, it  
should be understood that the PLU table contains an entry for  
each and every item of merchandise stocked by the store. Thus,  
the PLU Table has an extremely large number of individual  
15 entries. In addition, many of these entries are for small items  
of merchandise which are often grouped together in one particular  
location. For example, there may be 300 different entries for  
various spices, but since spices come in small packages and are  
all normally located in the same general vicinity, they would  
20 necessarily have the same, or substantially similar, location  
information entry. Providing location information entries for  
each and every item of merchandise stocked by the store is  
wasteful of storage space.

FIG. 7 illustrates an alternative embodiment to the PLU  
25 Table illustrated in FIG. 6, in which a separate Location  
Information Table 350 is provided, without the location  
information being appended to a particular item entry. In the  
embodiment illustrated in FIG. 7, a merchandise specific  
information table 300A is seen to comprise substantially the same  
30 information as the merchandise specific information set 300 of  
FIG. 6, i.e., sequential item entries comprising an item's SKU  
number 302A, a text string identifying the brand, generic name  
and size/quantity metric 304A and a price field 306A. The  
separate product location information table 350 is characterized  
35 by a corresponding number of sequential item entries, with each

item entry comprising an item identifier field 312 and an associated location information field 314. The item identifier field 312 may simply be a mirror image of the SKU field 302A of the corresponding product information table 300A, or a portion of each item's SKU code, but is preferably the product generic name from the PLU Table text string 304A. Thus, the separate product location information Table 350 may be significantly smaller (contain fewer item entries) than the PLU Table 300A. The PLU Table might have 300 separate entries for various spices, with each of the entries identified by the generic product name "spice". A specific product location would be associated with the generic term "spice" thus removing the need for 299 additional entries and, thereby shortening the size of the product location information table 350 as a result.

However identified, the item information field 312 provides a means of linking the location information field 314 of the location table 350 to any particular one of the items listed in the product table 300A in order that any item's location information may be accessed and displayed by a shopper's operation of the mobile personal shopping terminal (5 of FIG. 1).

Referring now to FIG. 8, location information, in the illustrated embodiment, may be suitably defined to comprise a particular item of merchandise's aisle and shelf numbers, as these are in turn laid out and defined by any particular retail facility. For example, the location information entry, location-a of FIG. 6 or FIG. 7, might actually appear as a text string that says shelf 1, aisle 2. This means that the merchandise associated with SKU number 00001, (Brand Name) Apples, can be found on shelf number 1, aisle 2 of the store. Likewise, the merchandise associated with SKU number 00002, (Brand Name) Tissues, might be located on shelf 4 of aisle 2. Its location information entry (location-b) would appear as a text string that says shelf 4, aisle 2.

Shelf and aisle numbers are preferably expressly referenced as location indicia in the location information set 310 of FIG. 6

or the separate product location information table 350 of FIG. 7. However identified, it is sufficient for purposes of the invention that each of the item entries in a PLU table have an associated location in the retail facility identified to them.

5 In one embodiment of the invention, when a customer desires to purchase an item, or to initialize the customer location recognition feature of the mobile terminal, the customer scans an item's UPC bar code, provided either on the product itself or in a convenient location on the display shelf proximate the item, 10 using the UPC bar code scanner 15 provided on the mobile terminal. The item's UPC code is processed by the mobile terminal's control unit which may extract a particular item's SKU code from the UPC code and transmits the item's SKU number to the retail facility's core server (50 of FIG. 1) by means of its 15 internal RF transceiver circuitry. Alternatively, rather than extracting an SKU code from the UPC bar code of a product, the mobile terminal's control unit may be configured to directly transmit all of the information comprising the UPC bar code to the retail facility's core server. Following transmission of the 20 product information, the core server 50 invokes a search and retriever subroutine which enters the store database and searches the PLU Table comprising the database for the scanned item's SKU code.

25 Once a match is made between a scanned item's SKU code and an SKU field of an item entry, the core server 50 accesses the item entry and transmits the information contained therein to the mobile terminal. At the same time, the store's core server accesses the item's product location information from its associated product location information file entry and 30 arbitrarily assigns that retrieved location to the particular customer's assumed current location. Once the present location of a customer is so defined, a customer is able to determine the location of a next item, for example on a shopping list, by transmitting any combination of information relating to that next 35 item to the core server which, in turn, accesses the PLU table,



and/or the location table and extracts the location information corresponding to the requested item. As illustrated in FIG. 9, the customer's source location (location-a) is processed with respect to a desired item's destination location (location-b) by  
5 either the mobile terminal or the core server which calculates direction and distance of the targeted desired item relative to the customer's current source location. Such computation is particularly advantageous when the mobile terminal or the core server has been preloaded with a retail facility topographic  
10 layout file which includes information regarding the distance between aisles, the number and size of shelves in each aisle, and the like. Following the relative direction and distance calculation, the customer might be instructed that "(Brand Name) Tissues are 3 meters to the left, of the current location, on the  
15 same aisle." Other coordinate terms, such as east, west, south, north; or towards the front, or towards the rear, may also be used by the system, as appropriate, as directional indicia. If a topographic store layout file is maintained by the mobile terminal or the core server, a map of the store may alternatively  
20 be displayed to the customer along with any required directional information to the targeted product. In this manner, the customer need not expend excess energy or time or become unduly frustrated in searching for items that need to be purchased.

A particular feature of the mobile personal shopping system  
25 in accordance with practice of principles of the invention is the ability to operate in accordance with an item-by-item shopping list prepared by the customer in advance of the customer's visit to the retail shopping facility. In particular, a customer may prepare a handwritten list of all of the items which they desire  
30 to purchase. The list is converted into a digital data format by raster scanning technology incorporated in a conventional optical scanner coupled to, for example, a personal computer system. Once the handwritten list is scanned into memory, the raster scanned graphical information is converted into text  
35 character codes by processing the information in accordance with

any one of a number of conventional optical character recognition (OCR) algorithms hosted by an OCR program resident on the, for example, personal computer system. Scanning an optical character recognition conversion of a customer's handwritten shopping list  
5 may be implemented on a dedicated system, provided for such a purpose, in the retail facility or, alternatively, implemented on a customer's home personal computer system.

In one embodiment of the invention, if the scanning and conversion function is implemented in the retail facility, the  
10 converted character data comprising the shopper's shopping list, is transferred directly to the mobile personal shopping terminal (5 of FIG. 1) either by wireless transmission through the terminal's RF transceiver, through a wired I/O port such as an RS-232 port or by means of a high-density flexible media  
15 cartridge which may be inserted into an optional floppy drive unit comprising the terminal's mass data storage unit (30 of FIG. 1). In an alternative implementation, scanned and OCR converted text character data is transferred to the store's core server (50 of FIG. 1) which, in turn, transmits the data to the  
20 mobile terminal via the terminal's RF transceiver.

In a further embodiment of the present invention, a customer's shopping list may be directly input onto an IC card via the alpha-numeric keypad of a customer's home personal computer system, and commanding the personal computer to write  
25 the shopping list into the appropriate variable storage range on the card. Once in the retail facility, the customer inserts the IC card into the IC card interface unit (60 of FIG. 1) which accesses the card and reads the shopping list into the terminal's local memory or mass data storage unit 30. Once in local memory  
30 or the storage unit 30 the customer's shopping list may be transmitted to the store's core server 50, utilizing the RF transceiver 32.

Pertinent to transferring a customer's shopping list to either the store's core server or to a customer's mobile terminal  
35 is that an electronic shopping system embodying the invention

includes means to identify each terminal to the core server so that each individual customer's transactions can be maintained separately. In particular, each terminal is assigned a unique terminal ID and all communications between that terminal and the store's core server are identified by that unique terminal ID. Alternatively, each customer is issued a unique customer ID which may be used by the mobile terminal as a unique identification flag such that transmissions between a mobile terminal and the store's core server can be allocated to a particular customer. If the mobile terminal communicates with a core server by using the terminal's ID the terminal will necessarily provide the customer's ID information to the core server so that transactions made by that terminal are allocated to that customer.

Having reference now to FIG. 2, there is depicted a conceptual diagram of the information storage layout of an exemplary IC card useful in practice of the present invention. A first, generally fixed, static information storage area 70 typically comprises a customer ID field which, as mentioned above, is used by the mobile terminal to uniquely identify itself to the store's core server in communications therewith. In addition to the customer ID field, the static information storage area 70 includes an allocated space which contains general information relating to the customer. Such general information would include the customer's name, home address, telephone number and date of birth. Also, space is allocated in the static information storage area 70 for a customer's demographic profile, which might include a customer's food preferences, drink preferences, hobbies and family structure (children, pets etc.). The static information storage area 70 is termed generally fixed since most of the information contained therein does not change with time. Needless to say, each of the allocated areas are able to be modified in the event that the customer's demographic or profile information should change, i.e., through marriage, an addition to the family, a move to a new address, and the like. The static information storage area 70 is termed generally fixed

only in comparison with the generally variable character of the remaining allocated areas of the IC card as will be described further below.

5 A second, generally variable shopping history storage area  
74 is also provided on the IC card, and comprises a recirculating  
information storage area containing a sequential list of the last  
items purchased at the store. Because of the need to efficiently  
allocate the limited amount of storage capacity of an IC card,  
the space allocated for the shopping history 74 is sequentially  
10 and cyclically written such that once the space is filled, the  
next entry overwrites the oldest shopping record entry. Thus,  
the shopping history 74 is being constantly updated with more  
recent transactions such that an up-to-date audit record of a  
customer's transaction history is accessible by merely  
15 interrogating the shopping history 74 of the IC card.

An illustrated embodiment of the format of a customer  
shopping history is depicted, in conceptual form, in FIG. 3. The  
exemplary shopping history 74 is best understood as comprising  
a sequence of lists, with each list being headed by a date of  
20 purchase entry 76 and a total purchase amount entry 75. For each  
date of purchase, the list suitably comprises an item description  
77 which would advantageously include an item's SKU or UPC code,  
an item's trade or brand name, generic name and an item's weights  
and measures metric, in a manner similar to the PLU Tables of  
25 FIGS. 6 and 7.

Next to the item description field 77, a quantity field 78  
lists the number of items or weight of the items identified in  
the item description field 77 along with an indication of  
unit-of-measure, i.e., pounds, pints, and the like. The price  
30 for each entry is listed in a price field 79. The item  
description, quantity and price string is repeated for each of  
the items purchased during the particular date of purchase. A  
previous day's purchase record is next provided in the shopping  
history 74 and identified to that day's date of purchase in like  
35 manner.

Returning now to FIG. 2, a further, generally variable replenishment item table 80 is provided on the IC card. The replenishment item table 80 is used for making recommendations to the customer as to items to replenish based on the customer's past shopping history and the calculated intervals between dates of purchase of various items, as will be described in greater detail below. The replenishment item table allows customers the luxury of minimizing their own investigations into the current state of items that might need replenishing and, indeed, minimizing the extent of a shopping list made prior to visiting the store. As will be amplified below, the replenishment item table provides a beneficial function even for customers who choose to take the time to prepare a shopping list prior to shopping. Replenishment recommendations, made by the system, will often alert these customers to any missing items that they may have forgotten to include while preparing their list, possibly saving them from making a second trip to the store.

A more detailed illustration of the conceptual layout of the replenishment item table (80 of FIG. 2) is illustrated in FIG. 4. In the illustrated embodiment, the replenishment item table 80 suitably comprises a multiplicity of horizontally disposed entries, each entry relating to a particular purchased item, and each entry subdivided into vertically disposed metrics, such that the entries and metrics define a table. Specifically, the metrics associated with each entry include an item description 100 comprising a particular item's SKU, PLU or UPC code, the item's trade or brand name, generic description and weights and measures metric. The item replenishment table 80 further includes a last purchase date entry 105 for each item and a last purchase quantity entry 110. From the last purchase date 105 and last purchase quantity 110 entries for each item, either the store's core server, the consumer's home personal computer system or preferably the mobile terminal, is used to calculate an average purchase interval entry 115 and an average purchase quantity entry 120 for each of the items comprising the

replenishment table. The number of past purchases, defining the number of times the item was purchased is entered for each item in a number of past purchases entry 125.

Each of the item entries in the replenishment item table 80 includes a control flag field 130 which, depending on the logical state of a control flag (1 or 0), indicates whether to include or exclude a particular item from a purchase recommendation list, as will be described in further detail below. It should be noted, however, that the inherent limitation of storage capacity of an IC card may impose a constraint on the number of item entries that may be listed in the replenishment item table. Accordingly, the replenishment item table 80 of the IC card configuration of FIG. 2, includes a parameter space 135 for storing a system parameter corresponding to the number of items that might be listed in the corresponding table. The system parameter loaded into the parameter space 135 is easily definable by either the mobile terminal, a customer's home personal computer system or by a retail facility's core server, by simply evaluating the memory space allocated to the replenishment item table 80 against the maximum allowable size of any item entry. Dividing an item entry size into the size allocated for the replenishment item table necessarily gives the maximum number of entries that may be made to the table. This maximum number of entries is thus provided as a system parameter which may be accessed by either the mobile terminal, a retail facility's core server or a customer's home personal computer system.

At least two additional system parameters are defined and provided in the parameter storage area (135 of FIG. 2). A "minimum number of past purchases" parameter defines a threshold value against which the number of past purchases (125 of FIG. 4) entry for each item is compared. If the item is only infrequently purchased, i.e., purchased only once or twice in the course of a year, for example, and the minimum number of past purchases parameter is set to 5, the item is not included on a resulting purchase recommendation list. In addition, a "maximum

purchase interval" defines a threshold time period which is compared against the last purchase date (105 of FIG. 4) entry for each item and which is used to determine whether or not to maintain a particular item entry on the replenishment item table.

5 If, for example, the difference between the present date and the last purchase date (105 of FIG. 4) exceeds the maximum purchase interval parameter, the corresponding item entry is deleted from the replenishment item table.

10 The utility of the replenishment item table 80 in combination with the shopping history (75 of FIG. 2) will be best understood in the context of the following example. For purposes of the example, it will be assumed that the customer has made an earlier shopping trip and the shopping history thereof has been stored in the memory area of the IC card allocated to the shopping history 75. Prior to beginning the next shopping excursion, the prior shopping history data and the replenishment item table data are read from the IC card, either by the mobile personal shopping terminal (5 of FIG. 1) or a customer's home personal computer system. It will be evident that any necessary processing may be performed by either of the aforementioned apparatus, as well as by the core server of a retail facility to which the appropriate data has been provided by any of the communication means described above. For illustrative purposes only, and not for purposes of limitation, the example will be described in terms of all processing carried out by the mobile personal shopping terminal.

30 After the shopping history and replenishment item table data have been read from the IC card, each item in the shopping history file is compared against items in the replenishment item table. If corresponding entries are found, the last purchase date and last purchase quantity entries for that item are updated in the replenishment item table and a new average purchase interval and average purchase quantity are calculated with respect to the number of past purchases and the difference between the purchase date taken from the shopping history and the

residual last purchase date in the replenishment item table. The number of past purchases is incremented.

5 In contrast, if there is no corresponding item entry in the replenishment item table to an item entry of the shopping history, the remaining item entries of the shopping history are searched to determine if there are additional entries for this item. If more than one entry for a particular item is found in the shopping history, but not in the replenishment item table, a new item entry (a new record) is added to the replenishment  
10 item table for that item. Single quantity, non-repetitive items are ignored.

This process iterates through all of the items listed in the shopping history. The maximum purchase interval parameter is evaluated and any items whose last purchase date exceeds the  
15 threshold are deleted from the replenishment item table.

Following processing, the items remaining in the replenishment item table, which are coded with the appropriate control flag, will be displayed by the mobile personal shopping terminal as replenishment items recommended for purchase by the  
20 consumer.

A preferable feature of the present invention is that replenishment table entry items may be displayed even if they have not exceeded the minimum number of past purchases by allowing the customer to request recommendation of a particular  
25 item. In addition, the replenishment item list can be configured to display items that have not reached or exceeded the average purchase interval but are reasonably close thereto. For example, items might be displayed which are at 75% to 80% of the interval, allowing the customer to decide whether or not to include that  
30 item in the final replenishment item list.

FIGS. 5A-5B are exemplary flow diagrams illustrating the steps undertaken by either a customer's home personal computer system or the control unit of the mobile personal shopping terminal, for processing the shopping history and replenishment  
35 item table data, updating the replenishment item table on the



basis of the process data, and constructing a recommended replenishment item shopping list therefrom.

The process initiates at start bubble 150. Process initiation may be when a customer's IC card is inserted into an IC card interface comprising either a home personal computer system or the mobile personal shopping terminal (5 of FIG. 1) and the process application invoked. The latest shopping history data resident on the IC card along with the resident replenishment item table are read from the IC card at 155. Once the latest shopping history data and replenishment item table are read, the process enters a multiplicity of nested decision loops in order to determine whether or not to update the replenishment item table with an item contained in the latest shopping history data. The first loop begins at decision diamond 160 and determines whether or not there is a next sequential unread item in the latest shopping history data. If the answer is YES, the routine enters a second decision loop and an inquiry is made at decision diamond 165 whether or not there are any unread items remaining in the replenishment item table. If the decision parameter in decision diamond 165 is YES, the next unread item in the latest shopping history is compared to the next unread item in the replenishment item table 170. In the event of a match (decision diamond 175), the replenishment item table is updated at 180 and the routine returns to the outside loop and queries whether there are any additional unread items remaining in the latest shopping history at decision diamond 160.

As was mentioned previously, when the replenishment item table is updated, the average purchase interval and average purchase quantity for a particular item are recalculated based on the number of past purchases and the difference between the last noted shopping date corresponding to that item in the shopping history and the last noted purchase date for that item in the prior replenishment item table.

Returning now to FIG. 5A, and decision diamond 175, if no match is found between the shopping history item and a

1 replenishment item table item, the routine loops back to decision  
diamond 165 and accesses any next remaining unread items in the  
replenishment item table. The process continues to loop until  
5 either a match is found or there are no remaining unread items  
in the replenishment item table to compare (decision diamond  
165). A next, interior decision loop is then invoked in order  
to determine whether or not an item in the latest shopping  
history that has no current match in the replenishment item table  
warrants being added thereto as a replenishment item. If there  
10 are no more items in the replenishment item table to compare the  
shopping history item to (decision diamond 165), a search is  
conducted in previous shopping history records (decision diamond  
185) to see if the present item has a historical record of  
purchase. If a comparison of the item in the latest shopping  
15 history record matches an entry in a previous shopping history  
record 190, 195, the item is added to the replenishment table 200  
as a replenishment item. If no matches are found for the present  
item in previous shopping history records (decision diamond 185)  
control is passed back to the outside loop, at decision diamond  
20 160, in order to determine whether there are any next remaining  
unread items in the latest shopping history data. The exterior  
and interior program loops continue until there are no remaining  
unread items in the latest shopping history, at which point the  
replenishment item table is deemed updated, at A, and program  
25 control is passed to a next subroutine which determines the  
specific items comprising the updated replenishment item table  
to display to the customer as a recommended replenishment item  
purchase.

Turning now to FIG. 5B, after the replenishment item table  
30 has been deemed updated, at A, the subroutine begins by  
initializing and sequentially analyzing each of the items in the  
updated replenishment item table. At decision diamond 205, an  
inquiry is made as to whether or not there are any remaining  
items in the replenishment item table left to examine. If so,  
35 the next item is accessed and a further inquiry is made as to

1    whether or not the maximum purchase interval has been exceeded  
    (decision diamond 210). If the inquiry returns a YES parameter,  
    this indicates that the item is not one which the customer  
    purchases regularly and, therefore, the item is deleted from the  
5    replenishment item table 230 and the routine again queries  
    whether there are any remaining items in the replenishment item  
    table left to analyze (decision diamond 205).

    On the other hand, if the purchase interval decision diamond  
    returns a NO parameter, indicating that the purchase interval has  
10   not been exceed for that item, a further inquiry is made as to  
    whether or not the number of past purchases exceeds the minimum  
    number of past purchases (customer defined system parameter) at  
    decision diamond 215. At a NO response to the query, the routine  
    gives the customer the option of requesting a particular item  
15   whether or not the number of past purchases exceeds the minimum  
    number of past purchases. The routine examines the control flag  
    field to determine if the customer has requested an item at  
    decision diamond 235. A NO response to this query returns the  
    routine to decision diamond 205 and the analysis is repeated on  
20   a next unread item. A YES response to the customer request query  
    will cause display of that particular item on the customer's  
    display unit as a recommended replenishment item 225. If the  
    "past purchase" decision diamond 215 passes a YES parameter, the  
    routine examines the control flag field to determine if the  
25   customer has manually input a "do not recommend" flag at decision  
    diamond 220. In particular, the control flag for recommendation  
    is defaulted to a set condition, while a customer's "do not  
    recommend" action has the effect of clearing the recommendation  
    control flag. Accordingly, a YES response to the query of  
30   decision diamond 220 will cause display of that particular item  
    on the customer's display unit as a recommended replenishment  
    item 225, while a NO response returns the routine to decision  
    diamond 205. The routine ends when there are no remaining items  
    in the replenishment item table to examine 240.

35

1       It should be noted that decisions made with regard to the  
maximum purchase interval and the number of past purchases are  
done by passing the system parameters (131 and 132 of FIG. 4) to  
the algorithm in order to give the algorithm a threshold for  
5       making comparison decisions. However, as was described above,  
the replenishment item list can be configured to display items  
that have not reached or exceeded the average purchase interval  
and to display items whose number of past purchases have not  
exceeded the minimum number required by the system parameter.  
10      For example, the algorithm may be easily configured to include  
an additional, user configurable parameter, which might instruct  
the algorithm to display items that have not reached or exceeded  
the, for example, average purchase interval, but are reasonably  
close thereto. In particular, the system parameter might  
15      instruct the algorithm to display all items, items which are at  
75-80% of the interval, or items whose purchase interval is  
within a certain number of days from the maximum purchase  
interval. This feature would cause additional items to be  
displayed and allow the customer the option of deciding whether  
20      or not to include a particular item in the final replenishment  
item list.

In addition to making recommendations on replenishment  
items, a system embodying the invention is also configured  
to display recommendations regarding promotional items. Such  
25      recommendations are based on information contained in the  
customer's profile (70 of FIG. 2) which is obtained from the  
customer's IC card. For example, once the mobile personal  
shopping terminal makes initial contact with the retail  
facility's core server and transmits the customer ID and profile  
30      information thereto, if the profile indicates that the customer  
is a married woman with a newborn child, the core server will  
provide the mobile terminal with data regarding all the  
newborn-related goods on sale. Alternatively, a promotional item  
listed is downloaded from the server by the mobile terminal and  
35      the mobile terminal's processor performs the function of

1 selecting various promotional items for display based on a  
customer's particular profile information. The system displays  
the promotional items in the same manner as the recommended  
5 replenishment list and is further able to provide the customer  
with the location and direction of the closest such item to the  
customer's current location, in the same manner as that described  
above in connection with a next item on the customer's shopping  
list. Thus, even if a customer fails to notice a sign or an  
10 advertisement about a sale product that the customer would be  
interested in purchasing, the recommendation of such products on  
the customer's display unit ensures that the customer will not  
miss out on the savings offered by the store.

An additional feature provided by the mobile terminal in  
accordance with practice of the invention is that the mobile  
15 terminal is able to keep track of which items on a customer  
provided shopping list were actually purchased, by comparing  
items scanned by the customer to items on the shopping list. By  
running a simple application program, the mobile terminal is able  
to determine which items on the shopping list were not purchased  
20 at that store. The mobile terminal can transmit a list of  
unpurchased items to the store server at the end of a particular  
shopping trip. This list of unpurchased items can then be  
accessed by the store's management personnel and analyzed in  
order to determine the store's "opportunity loss". Opportunity  
25 loss is a serious problem for retail stores since it suggests  
that another store is successfully competing for business in  
certain areas. If the store's management personnel are able to  
determine what types of items are routinely purchased elsewhere,  
they will be able to take remedial steps to regain that business.  
30 Thus, the mobile terminal's data acquisition and transfer  
features would prove highly beneficial to a retail facility, as  
well as to a consumer.

It will be understood that the foregoing is merely  
illustrative of practice of principles of the invention and that  
35 various modifications can be made by those skilled in the art

1 without departing from the scope of the invention as  
defined by the following claims. For example, the personal  
shopping system may, when a customer scans an item, also transmit  
5 customer information to a point-of-sale (POS) terminal or to a  
mobile terminal utilized by store clerks. Such information may  
include the customer's name and other pertinent demographic data,  
whether the customer is a frequent shopper, premier customer or  
a newly enrolled customer, as well as information regarding the  
10 customer's current location. With such information in their  
possession, store clerks are able to greet customers by name and  
significantly enhance personalization of the services rendered  
by the store.

15

20

25

30

35

1 CLAIMS

1. An electronic personal shopping system for use in a retail facility of the type including a store computer  
5 configured to transmit and receive data via the RF spectrum, the electronic personal shopping system comprising:

a mobile terminal, including;

a microprocessor based control unit;

an individually addressable RF communication

10 transceiver, connected to the control unit, the transceiver communicating data between the mobile terminal and the store computer; and

a portable scanner configured to read item code data, the transceiver transmitting said code data to the  
15 store computer on command of the control unit as a customer inputs the code data for items being purchased;

wherein, the personal shopping system includes an item database, the database being organized to hold store merchandise item entries, each merchandise item entry comprising one or more  
20 store item indicia and associated item location information, each merchandise item being identified by said item code data, the location information associated with an item defining a customer's current location as the customer inputs the code data of that item, the personal shopping system further including  
25 means for calculating a direction and distance to a destination item from the customer's current location.

2. An electronic personal shopping system according to claim 1, further comprising:

30 a portable, machine readable and writeable, personal memory store for storing customer related information data and for storing purchase item indicia;

a reader/writer unit for interfacing with said personal memory store;

35 a memory storage unit; and  
a display.

3. An electronic personal shopping system according to claim 2, the customer related information comprising:

a first field for holding digital data defining a unique customer ID; and

at least a second field for holding digital data defining customer profile indicia.

4. An electronic personal shopping system according to claim 2 or 3, the ~~purchase~~ item indicia comprising a customer defined shopping list, the shopping list including one or more item indicia for each item, the shopping list item indicia corresponding to the store item indicia.

5. An electronic personal shopping system according to claim 4, wherein the customer defined shopping list is transmitted to the store computer, the store computer calculating a direction and distance to a destination item from the customer's current location, the store computer further automatically defining the destination item as a next item on the shopping list.

6. An electronic personal shopping system according to claim 4, wherein the customer defined shopping list is transmitted to the store computer, the store computer calculating a direction and distance to a destination item from the customer's current location, the store computer further automatically processing the shopping list items to define a closest item to the customer's current location as the destination item.

7. An electronic personal shopping system according to claim 4, wherein the customer defined shopping list is input to the mobile terminal, the mobile terminal control unit calculating a direction and distance to a destination item from the customer's current location, the mobile terminal control unit



1 further automatically defining the destination item as a next  
item on the shopping list.

5 8. An electronic personal shopping system according to  
claim 4, wherein the customer defined shopping list is input to  
the mobile terminal, the mobile terminal control unit calculating  
a direction and distance to a destination item from the  
customer's current location, the mobile terminal control unit  
10 further automatically processing the shopping list items to  
define a closest item to the customer's current location as the  
destination item.

9. An electronic personal shopping system according to  
claim 2, 3, or 4, the ~~purchase~~ item indicia further comprising a  
15 replenishment item recommendation list including one or more item  
indicia for each item, the recommendation list item indicia  
corresponding to the store item indicia.

10. An electronic personal shopping system according to  
20 claim 9, wherein the replenishment item recommendation list is  
transmitted to the store computer, the store computer calculating  
a direction and distance to a destination item from the  
customer's current location, the store computer further  
automatically defining the destination item as a next item on the  
25 replenishment item recommendation list.

11. An electronic personal shopping system according to  
claim 9, wherein the replenishment item recommendation list is  
transmitted to the store computer, the store computer calculating  
30 a direction and distance to a destination item from the  
customer's current location, the store computer further  
automatically processing the replenishment item recommendation  
list to define a closest item to the customer's current location  
as the destination item.

35

1        12. An electronic personal shopping system according to  
claim 9, wherein the replenishment item recommendation list is  
transmitted to the mobile terminal, the mobile terminal control  
unit calculating a direction and distance to a destination item  
5        from the customer's current location, the mobile terminal control  
unit further automatically defining the destination item as a  
next item on the replenishment item recommendation list.

10       13. An electronic personal shopping system according to  
claim 9, wherein the replenishment item recommendation list is  
transmitted to the mobile terminal, the mobile terminal control  
unit calculating a direction and distance to a destination item  
from the customer's current location, the mobile terminal control  
unit further automatically processing the replenishment item  
15       recommendation list to define a closest item to the customer's  
current location as the destination item.

20       14. An electronic personal shopping system according to  
claim 3, wherein the store computer processes the customer  
profile indicia to define recommended promotional items, the  
store computer calculating a direction and distance to a  
destination item from the customer's current location, the store  
computer further automatically processing the recommended  
promotional items to define a closest promotional item to the  
25       customer's current location as the destination item.

30       15. An electronic personal shopping system according to  
claim 9, wherein the personal memory store comprises an IC card,  
the reader/writer unit cooperating with the personal memory store  
to read the customer ID, the customer profile indicia, the  
shopping list and the recommended replenishment item list from  
the memory store, the reader/writer unit further updating the  
contents of the memory store upon purchase of an item by the  
customer.

1           16. An electronic personal shopping system according to  
claim 15, wherein the IC card is a contactless card.

5           17. An electronic personal shopping system according to  
claim 15, wherein the IC card is a contact card.

10           18. An electronic personal shopping system according to  
claim 16, wherein the IC card comprises a microprocessor, a  
memory and an RF transceiver.

15           19. An electronic personal shopping system according to  
any of claims 15 to 18, further comprising means for translating a hand  
written or printed shopping list into digital data form by optical scanning  
and OCR processing, and means for writing the digital data form of the  
shopping list to a customer-defined shopping list field  
in a memory location of said IC card.

20           20. In an electronic personal shopping system for use in  
a retail facility of the type including a store computer  
configured to transmit and receive data via the RF spectrum, a  
method for tracking a current customer location and for providing  
directional indicia to a next item, the method comprising:

25           providing an item database organized to contain at  
least an item identification indicia field and a corresponding  
item location field for each of a multiplicity of store  
merchandise items;

30           providing a mobile terminal having an individually  
addressable RF communication transceiver, a portable scanner  
configured to read item code data, and customer directing  
means;

35           scanning an item code of an item being purchased;  
matching the item code to an identification indicia  
field of a merchandise item;

1 mapping the identification indicia field to a  
corresponding item location;  
assigning the item location to a current customer  
location;  
5 calculating a direction and distance metric for a  
destination item from the current customer location; and  
indicating the direction and distance metric of the  
destination item, using said customer directing means.

10 21. The method according to claim 20, wherein the item  
database is downloaded from the store computer to the mobile  
terminal, the mobile terminal further comprising a display which  
provides said customer directing means, the terminal receiving  
the scanned item code and determining the distance and direction  
15 metric by performing said matching, mapping, assigning and  
calculating steps, the terminal displaying the direction and  
distance metric of the destination item on said display.

20 22. The method according to claim 20, wherein the item  
database is resident in a memory location of the store computer,  
the method further comprising:

transmitting the scanned item code to the store  
central computer, the store computer determining the distance  
and direction metric by performing said matching, mapping,  
25 assigning and calculating steps; and

transmitting the distance and direction metric to the  
mobile terminal, the mobile terminal further comprising a  
display which provides said customer directing means, the  
terminal displaying the direction and distance metric of the  
30 destination item on said display.

23. The method according to claim 21 or 22, the method  
further comprising:

35 providing a customer defined shopping list, the  
shopping list including one or more item indicia for each item,  
the item indicia recognizable as corresponding to the  
identification indicia of a merchandise item; and

1           defining a next item on the shopping list as the  
destination item.

24. The method according to claim 21 or 22, the method  
5 further comprising:

          providing a customer defined shopping list, the  
shopping list including at least an item indicia for each item,  
the item indicia recognizable as corresponding to the  
identification indicia of a merchandise item;

10           processing the shopping list items to define a closest  
item to the customer's current location; and

          defining the closest item on the shopping list as the  
destination item.

25. The method according to claim 21 or 22, the method  
15 further comprising:

          providing a replenishment item recommendation list, the  
recommendation list including at least an item indicia for each  
item, the item indicia recognizable as corresponding to the  
20 identification indicia for a merchandise item; and

          defining a next item on the replenishment item  
recommendation list as the destination item.

26. The method according to claim 21 or 22, the method  
25 further comprising:

          providing a replenishment item recommendation list, the  
recommendation list including at least an item indicia for each  
item, the item indicia recognizable as corresponding to the  
identification indicia of a merchandise item;

30           processing the replenishment item recommendation list  
to define a closest item to the customer's current location; and

          defining the closest replenishment item to the  
customer's current location as the destination item.

35

1        27. A method for preparing a replenishment item  
recommendation list from electronically stored shopping history  
data records, each data record comprising a multiplicity of items  
and each record associated with a purchase date, the method  
5 comprising:

comparing each respective one of a plurality of  
shopping history items from a latest shopping history data record  
with each respective one of a plurality of replenishment items  
from a prior established replenishment item table;

10        updating the replenishment item table upon detecting  
a match between a shopping history item from a latest shopping  
history data record with an existing item from the prior  
established replenishment item table;

15        comparing each latest shopping history data record item  
not found in the prior established replenishment item table with  
each respective one of a plurality of items contained in a  
previous shopping history data record;

20        adding to the replenishment item table upon detecting  
a match between a latest shopping history data record item not  
found in the prior established replenishment item table with a  
previous shopping history data record item;

25        analyzing purchase dates of each item in the resultant  
replenishment item table to define items with a purchase interval  
period exceeding a predetermined maximum purchase interval  
period;

deleting items from the replenishment item table with  
a purchase interval period exceeding the predetermined maximum  
purchase interval period; and

30        establishing the thus formed replenishment item table  
as a replenishment item recommendation list.

28. The method according to claim 27, further comprising:

35        providing an IC card, the IC card including a memory  
store, the memory store holding a latest shopping history data  
record and at least one previous shopping history data record, the

1 memory store further for holding an established replenishment  
item table; and

reading the latest shopping history data record, the  
at least one previous shopping history data record and the  
5 established replenishment item table from the memory store of the  
IC card into a data processor, the data processor processing the  
shopping history items and the replenishment items to thereby  
define the replenishment item recommendation list.

10 29. The method according to claim 28, wherein the  
replenishment item recommendation list is written to the memory  
store of the IC card to thereby define a next prior established  
replenishment item table.

15 30. The method according to claim 27, 28, or 29, wherein replenishment  
items with a number of past purchases not exceeding a  
predetermined threshold number of past purchases are displayed  
prior to the deleting step, a user being thereby enabled to set  
a control flag indicating inclusion of the item in the  
20 replenishment item recommendation list notwithstanding its number  
of past purchases status.

31. A method of providing location indicia indicating the  
direction and distance to a desired destination item comprising  
25 the steps of:

determining a current customer location corresponding  
to a location of a source item, the source item defined as an  
item scanned by a product bar code scanner;

30 calculating a direction and distance to a desired  
destination item from the current customer location; and

displaying the direction and distance of the  
destination item on a display unit.

32. The method according to claim 31, further comprising  
35 the step of displaying a store map graphic on the display unit

1 in conjunction with the direction and distance of the desired destination item.

5 33. The method according to claim 31 or 32, wherein the step of determining current customer location comprises the step of retrieving the location of the source item from a database entry, the source item database entry associated with a stock keeping unit identified to the product bar code.

10 34. The method according to claim 31 or 32, wherein the step of calculating the direction and distance to the desired destination item comprises the steps of:

15 retrieving a destination location of the desired destination item from a database entry, the destination item's database entry associated with a stock keeping unit code; and analyzing the destination location with respect to the current customer location based on store layout information data hosted in a store computer database.

20 35. An electronic personal shopping system for use in a retail store, the personal shopping system comprising:

inputting means for developing purchase item data corresponding to a shopping list;

25 processing means for developing a replenishment item recommendation list from customer shopping history data records;

means for defining promotional item recommendations, the promotional item recommendations identified to a specific customer on the basis of profile information hosted on a machine readable personal memory store;

30 scanning means for reading a universal product code of a source item;

control means, coupled to the scanning means, for recognizing a first item indicia code of the source item;

35 means coupled to the control means for retrieving a source location of the source item based on the first item



1 indicia code, wherein the source location is assigned to a  
current customer location;

means coupled to the control means for retrieving a  
destination location of a destination item based on a second  
item indicia code;

5 processor means for calculating a direction and  
distance metric to the destination item from the current  
customer location; and

a display unit for displaying the direction and  
distance metric to the desired destination item.

10

36. The electronic personal shopping system according to  
claim 35, wherein the shopping list is printed or handwritten  
and said inputting means comprises an optical scanner operating  
under OCR software program control.

15

37. The electronic personal shopping system according to  
claim 35, wherein the shopping list is an electronic file and  
wherein the inputting means comprises means for uploading said  
file onto a retail store web site.

20

38. The electronic personal shopping system according to  
claim 35, 36, or 37, wherein the shopping list, shopping history  
data records and customer profile information are electronically  
stored in a memory location of an IC card.

25

39. The electronic personal shopping system of claim 35,  
36, 37, or 38, wherein a next sequential item from the shopping  
list is defined as the desired destination item.

30

40. The electronic personal shopping system according to  
claim 35, 36, 37, or 38, wherein a next sequential recommended  
replenishment item is defined as the desired destination item.

1        41. The electronic personal shopping system according to  
claim 35, 36, 37, or 38, wherein a recommended promotional item  
nearest the current customer location is defined as the desired  
destination item.

5        42. The electronic personal shopping system according to  
claim 35, 36, 37, or 38, wherein the desired destination item is  
affirmatively specified by a consumer.

10       43. A mobile terminal adapted for use in the electronic  
personal shopping system according to any of claims 1 to 19 or  
35 to 42.

15       44. An IC card adapted for use in the electronic personal  
shopping system according to any of claims 15 to 19 or 38.

45. An electronic personal shopping system, substantially  
as hereinbefore described with reference to the accompanying  
drawings.

**Amendments to the claims have been filed as follows**

1. An electronic personal shopping system for use in a retail facility of the type including a store computer configured to transmit and receive data via the RF spectrum, the electronic personal shopping system comprising:

a mobile terminal, including;  
a microprocessor based control unit;  
an individually addressable RF communication

transceiver, connected to the control unit, the transceiver communicating data between the mobile terminal and the store computer; and

a portable scanner configured to read item code data, the transceiver transmitting said code data to the store computer on command of the control unit as a customer inputs the code data for items being purchased;

wherein, the personal shopping system includes an item database, the database being organized to hold store merchandise item entries, each merchandise item entry comprising one or more store item indicia and associated item location information, each merchandise item being identified by said item code data, the location information associated with an item defining a customer's current location as the customer inputs the code data of that item, the personal shopping system further including means for calculating a direction and distance to a destination item from the customer's current location.

2. An electronic personal shopping system according to claim 1, further comprising:

a portable, machine readable and writeable, personal memory store for storing customer related information data and for storing purchase item indicia;

a reader/writer unit for interfacing with said personal memory store;

a memory storage unit; and  
a display.

3. An electronic personal shopping system according to claim 2, the customer related information comprising:

a first field for holding digital data defining a unique customer ID; and

at least a second field for holding digital data defining customer profile indicia.

4. An electronic personal shopping system according to claim 2 or 3, the purchase item indicia comprising a customer defined shopping list, the shopping list including one or more item indicia for each item, the shopping list item indicia corresponding to the store item indicia.

5. An electronic personal shopping system according to claim 4, wherein the customer defined shopping list is transmitted to the store computer, the store computer calculating a direction and distance to a destination item from the customer's current location, the store computer further automatically defining the destination item as a next item on the shopping list.

6. An electronic personal shopping system according to claim 4, wherein the customer defined shopping list is transmitted to the store computer, the store computer calculating a direction and distance to a destination item from the customer's current location, the store computer further automatically processing the shopping list items to define a closest item to the customer's current location as the destination item.

7. An electronic personal shopping system according to claim 4, wherein the customer defined shopping list is input to the mobile terminal, the mobile terminal control unit calculating a direction and distance to a destination item from the customer's current location, the mobile terminal control unit

1. further automatically defining the destination item as a next item on the shopping list.

8. An electronic personal shopping system according to claim 4, wherein the customer defined shopping list is input to the mobile terminal, the mobile terminal control unit calculating a direction and distance to a destination item from the customer's current location, the mobile terminal control unit further automatically processing the shopping list items to define a closest item to the customer's current location as the destination item.

9. An electronic personal shopping system according to claim 2, 3, or 4, the purchase item indicia further comprising a replenishment item recommendation list including one or more item indicia for each item, the recommendation list item indicia corresponding to the store item indicia.

10. An electronic personal shopping system according to claim 9, wherein the replenishment item recommendation list is transmitted to the store computer, the store computer calculating a direction and distance to a destination item from the customer's current location, the store computer further automatically defining the destination item as a next item on the replenishment item recommendation list.

11. An electronic personal shopping system according to claim 9, wherein the replenishment item recommendation list is transmitted to the store computer, the store computer calculating a direction and distance to a destination item from the customer's current location, the store computer further automatically processing the replenishment item recommendation list to define a closest item to the customer's current location as the destination item.

35

1        12. An electronic personal shopping system according to  
claim 9, wherein the replenishment item recommendation list is  
transmitted to the mobile terminal, the mobile terminal control  
unit calculating a direction and distance to a destination item  
5        from the customer's current location, the mobile terminal control  
unit further automatically defining the destination item as a  
next item on the replenishment item recommendation list.

10       13. An electronic personal shopping system according to  
claim 9, wherein the replenishment item recommendation list is  
transmitted to the mobile terminal, the mobile terminal control  
unit calculating a direction and distance to a destination item  
from the customer's current location, the mobile terminal control  
unit further automatically processing the replenishment item  
15       recommendation list to define a closest item to the customer's  
current location as the destination item.

20       14. An electronic personal shopping system according to  
claim 3, wherein the store computer processes the customer  
profile indicia to define recommended promotional items, the  
store computer calculating a direction and distance to a  
destination item from the customer's current location, the store  
computer further automatically processing the recommended  
promotional items to define a closest promotional item to the  
25       customer's current location as the destination item.

30       15. An electronic personal shopping system according to  
claim 9, wherein the personal memory store comprises an IC card,  
the reader/writer unit cooperating with the personal memory store  
to read the customer ID, the customer profile indicia, the  
shopping list and the recommended replenishment item list from  
the memory store, the reader/writer unit further updating the  
contents of the memory store upon purchase of an item by the  
customer.

1           16. An electronic personal shopping system according to  
claim 15, wherein the IC card is a contactless card.

5           17. An electronic personal shopping system according to  
claim 15, wherein the IC card is a contact card.

10           18. An electronic personal shopping system according to  
claim 16, wherein the IC card comprises a microprocessor, a  
memory and an RF transceiver.

15           19. An electronic personal shopping system according to  
any of claims 15 to 18, further comprising means for translating a hand  
written or printed shopping list into digital data form by optical scanning  
and OCR processing, and means for writing the digital data form of the  
shopping list to a customer-defined shopping list field  
in a memory location of said IC card.

20           20. In an electronic personal shopping system for use in  
a retail facility of the type including a store computer  
configured to transmit and receive data via the RF spectrum, a  
method for tracking a current customer location and for providing  
directional indicia to a next item, the method comprising:

25           providing an item database organized to contain at  
least an item identification indicia field and a corresponding  
item location field for each of a multiplicity of store  
merchandise items;

30           providing a mobile terminal having an individually  
addressable RF communication transceiver, a portable scanner  
configured to read item code data, and customer directing  
means;

35           scanning an item code of an item being purchased;  
matching the item code to an identification indicia  
field of a merchandise item;

1 mapping the identification indicia field to a  
corresponding item location;  
assigning the item location to a current customer  
location;

5 calculating a direction and distance metric for a  
destination item from the current customer location; and  
indicating the direction and distance metric of the  
destination item, using said customer directing means.

10 21. The method according to claim 20, wherein the item  
database is downloaded from the store computer to the mobile  
terminal, the mobile terminal further comprising a display which  
provides said customer directing means, the terminal receiving  
the scanned item code and determining the distance and direction  
15 metric by performing said matching, mapping, assigning and  
calculating steps, the terminal displaying the direction and  
distance metric of the destination item on said display.

20 22. The method according to claim 20, wherein the item  
database is resident in a memory location of the store computer,  
the method further comprising:

transmitting the scanned item code to the store  
central computer, the store computer determining the distance  
and direction metric by performing said matching, mapping,  
25 assigning and calculating steps; and

transmitting the distance and direction metric to the  
mobile terminal, the mobile terminal further comprising a  
display which provides said customer directing means, the  
terminal displaying the direction and distance metric of the  
30 destination item on said display.

23. The method according to claim 21 or 22, the method  
further comprising:

35 providing a customer defined shopping list, the  
shopping list including one or more item indicia for each item,  
the item indicia recognizable as corresponding to the  
identification indicia of a merchandise item; and



1 defining a next item on the shopping list as the  
destination item.

24. The method according to claim 21 or 22, the method  
5 further comprising:

providing a customer defined shopping list, the  
shopping list including at least an item indicia for each item,  
the item indicia recognizable as corresponding to the  
identification indicia of a merchandise item;

10 processing the shopping list items to define a closest  
item to the customer's current location; and

defining the closest item on the shopping list as the  
destination item.

25. The method according to claim 21 or 22, the method  
15 further comprising:

providing a replenishment item recommendation list, the  
recommendation list including at least an item indicia for each  
item, the item indicia recognizable as corresponding to the  
20 identification indicia for a merchandise item; and

defining a next item on the replenishment item  
recommendation list as the destination item.

26. The method according to claim 21 or 22, the method  
25 further comprising:

providing a replenishment item recommendation list, the  
recommendation list including at least an item indicia for each  
item, the item indicia recognizable as corresponding to the  
identification indicia of a merchandise item;

30 processing the replenishment item recommendation list  
to define a closest item to the customer's current location; and

defining the closest replenishment item to the  
customer's current location as the destination item.

35

1        27. A method for preparing a replenishment item  
recommendation list from electronically stored shopping history  
data records, each data record comprising a multiplicity of items  
and each record associated with a purchase date, the method  
5 comprising:

comparing each respective one of a plurality of  
shopping history items from a latest shopping history data record  
with each respective one of a plurality of replenishment items  
from a prior established replenishment item table;

10        updating the replenishment item table upon detecting  
a match between a shopping history item from a latest shopping  
history data record with an existing item from the prior  
established replenishment item table;

15        comparing each latest shopping history data record item  
not found in the prior established replenishment item table with  
each respective one of a plurality of items contained in a  
previous shopping history data record;

20        adding to the replenishment item table upon detecting  
a match between a latest shopping history data record item not  
found in the prior established replenishment item table with a  
previous shopping history data record item;

25        analyzing purchase dates of each item in the resultant  
replenishment item table to define items with a purchase interval  
period exceeding a predetermined maximum purchase interval  
period;

deleting items from the replenishment item table with  
a purchase interval period exceeding the predetermined maximum  
purchase interval period; and

30        establishing the thus formed replenishment item table  
as a replenishment item recommendation list.

28. The method according to claim 27, further comprising:

35        providing an IC card, the IC card including a memory  
store, the memory store holding a latest shopping history data  
record and at least one previous shopping history data record, the

1 memory store further for holding an established replenishment  
item table; and

5 reading the latest shopping history data record, the  
at least one previous shopping history data record and the  
established replenishment item table from the memory store of the  
IC card into a data processor, the data processor processing the  
shopping history items and the replenishment items to thereby  
define the replenishment item recommendation list.

10 29. The method according to claim 28, wherein the  
replenishment item recommendation list is written to the memory  
store of the IC card to thereby define a next prior established  
replenishment item table.

15 30. The method according to claim 27, 28, or 29, wherein replenishment  
items with a number of past purchases not exceeding a  
predetermined threshold number of past purchases are displayed  
prior to the deleting step, a user being thereby enabled to set  
a control flag indicating inclusion of the item in the  
20 replenishment item recommendation list notwithstanding its number  
of past purchases status.

25 31. A method of providing location indicia indicating the  
direction and distance to a desired destination item comprising  
the steps of:

determining a current customer location corresponding  
to a location of a source item, the source item defined as an  
item scanned by a product bar code scanner;

30 calculating a direction and distance to a desired  
destination item from the current customer location; and

displaying the direction and distance of the  
destination item on a display unit.

35 32. The method according to claim 31, further comprising  
the step of displaying a store map graphic on the display unit

1. in conjunction with the direction and distance of the desired destination item.

5 33. The method according to claim 31 or 32, wherein the step of determining current customer location comprises the step of retrieving the location of the source item from a database entry, the source item database entry associated with a stock keeping unit identified to the product bar code.

10 34. The method according to claim 31 or 32, wherein the step of calculating the direction and distance to the desired destination item comprises the steps of:

15 retrieving a destination location of the desired destination item from a database entry, the destination item's database entry associated with a stock keeping unit code; and analyzing the destination location with respect to the current customer location based on store layout information data hosted in a store computer database.

20 35. An electronic personal shopping system for use in a retail store, the personal shopping system comprising:

inputting means for developing purchase item data corresponding to a shopping list;

25 processing means for developing a replenishment item recommendation list from customer shopping history data records;

means for defining promotional item recommendations, the promotional item recommendations identified to a specific customer on the basis of profile information hosted on a machine readable personal memory store;

30 scanning means for reading a universal product code of a source item;

control means, coupled to the scanning means, for recognizing a first item indicia code of the source item;

35 means coupled to the control means for retrieving a source location of the source item based on the first item

1   indicia code, wherein the source location is assigned to a  
current customer location;

means coupled to the control means for retrieving a  
destination location of a destination item based on a second  
item indicia code;

5       processor means for calculating a direction and  
distance metric to the destination item from the current  
customer location; and

a display unit for displaying the direction and  
distance metric to the desired destination item.

10

36. The electronic personal shopping system according to  
claim 35, wherein the shopping list is printed or handwritten  
and said inputting means comprises an optical scanner operating  
under OCR software program control.

15

37. The electronic personal shopping system according to  
claim 35, wherein the shopping list is an electronic file and  
wherein the inputting means comprises means for uploading said  
file onto a retail store web site.

20

38. The electronic personal shopping system according to  
claim 35, 36, or 37, wherein the shopping list, shopping history  
data records and customer profile information are electronically  
stored in a memory location of an IC card.

25

39. The electronic personal shopping system of claim 35,  
36, 37, or 38, wherein a next sequential item from the shopping  
list is defined as the desired destination item.

30

40. The electronic personal shopping system according to  
claim 35, 36, 37, or 38, wherein a next sequential recommended  
replenishment item is defined as the desired destination item.

41. The electronic personal shopping system according to claim 35, 36, 37, or 38, wherein a recommended promotional item nearest the current customer location is defined as the desired destination item.

42. The electronic personal shopping system according to claim 35, 36, 37, or 38, wherein the desired destination item is affirmatively specified by a consumer.

43. A mobile terminal adapted for use in the electronic personal shopping system according to any of claims 1 to 19 or 35 to 42.

44. An IC card adapted for use in the electronic personal shopping system according to any of claims 15 to 19 or 38.

45. An electronic personal shopping system, substantially as hereinbefore described with reference to the accompanying drawings.

46. An electronic personal shopping system comprising a merchandise table holding merchandise item entries, each entry including an item identifier and information related to the item including item price information and item location information.

47. The electronic personal shopping system according to claim 46, applied to a retail facility in which a plurality of purchasable items are arranged, further comprising:

a code reader configured to read item code data;  
and  
a control unit coupled to the code reader for

determining the current location of a customer by retrieving location information of the item from the merchandise table based on the item code data.

5           48. The electronic personal shopping system .  
according to claim 47, wherein the control unit further determines the direction to a destination item for said customer from the current location.

10           49. The electronic personal shopping system  
according to claim 47 or 48, wherein the control unit further determines the distance to a destination item from the current location.

15           50. An electronic personal shopping system  
comprising a replenishment item table holding  
previously purchased item entries for items previously  
purchased by a particular customer, each item entry  
including a last purchased date and purchase interval  
20           data.

            51. The electronic personal shopping system of  
claim 50, further comprising a display for displaying  
an item in the item replenishment table as a  
25           recommended purchase item for said customer.

            52. A mobile terminal for use in an electronic  
personal shopping system applied to a retail facility  
in which a plurality of purchasable items are arranged,  
30           comprising:

            a processor;  
            a code reader configured to read item code data;  
            a display unit; and  
            a memory for storing a merchandise table holding  
35           merchandise item entries, each entry including an item  
identifier and location information of an item;

wherein, the processor determines the current location of the mobile terminal by retrieving location information of a particular item from the merchandise table based on the code data associated with the particular item.

53. The mobile terminal according to claim 52, wherein the processor retrieves location information of a destination item from the merchandise table for display on the display unit.

54. The mobile terminal according to claim 53, wherein the destination item is a promotional item closest to the current location of the mobile terminal.

55. The mobile terminal according to claim 53, further comprising a memory for storing a customer defined shopping list, wherein the destination item is an item in the shopping list closest to the current location of the mobile terminal.

56. A mobile terminal adapted for use in an electronic personal shopping system, the mobile terminal comprising:

a processor;  
a display unit; and  
a memory for storing a replenishment item table holding previously purchased item entries, each item entry including a last purchased date and purchase interval data;

wherein the processor compares the purchase interval data with the last purchased date for display of an item in the item replenishment table as a recommended purchase item.

57. A customer identification card adapted for



use in a personal shopping system, the customer identification card comprising:

5        a memory unit for storing a replenishment item table holding previously purchased item entries, each item entry including a last purchased date and purchase interval data, the purchase interval data for being compared with the last purchased date for notification to a customer; and

10       a reader/writer unit cooperating with the memory unit to read the replenishment item table and update the contents of the table upon purchase of an item by the customer.

15       58. The customer identification card of claim 57, wherein the memory unit further stores customer shopping history data.

20       59. The customer identification card of claim 57 or 58, wherein the memory unit further stores customer defined shopping list.

60. The customer identification card of claim 57, 58, or 59, wherein the memory unit further stores a customer profile data.



Application No: GB 9902631.2  
Claims searched: 1-26,31-42,45

Examiner: Mike Davis  
Date of search: 16 March 1999

**Patents Act 1977**  
**Search Report under Section 17**

**Databases searched:**

UK Patent Office collections, including GB, EP, WO & US patent specifications, in:

UK Cl (Ed.Q): G4H (HJ, HNEC, HNEE, HNP)

Int Cl (Ed.6): G06F, G06K

Other: Online: WPI, EPODOC, PAJ

**Documents considered to be relevant:**

Category	Identity of document and relevant passage	Relevant to claims
	None	

X	Document indicating lack of novelty or inventive step	A	Document indicating technological background and/or state of the art.
Y	Document indicating lack of inventive step if combined with one or more other documents of same category.	P	Document published on or after the declared priority date but before the filing date of this invention.
&	Member of the same patent family	E	Patent document published on or after, but with priority date earlier than, the filing date of this application.



**Application No:** GB 9902631.2  
**Claims searched:** 27-30

**Examiner:** Mike Davis  
**Date of search:** 24 June 1999

**Patents Act 1977**  
**Further Search Report under Section 17**

**Databases searched:**

UK Patent Office collections, including GB, EP, WO & US patent specifications, in:

UK Cl (Ed.Q): G4H (HJ, HNP)

Int Cl (Ed.6): G06F

Other: Online: WPI, EPODOC, JAPIO

**Documents considered to be relevant:**

Category	Identity of document and relevant passage	Relevant to claims
A	US 5691684 (MURRAH) eg abstract	-

X	Document indicating lack of novelty or inventive step	A	Document indicating technological background and/or state of the art.
Y	Document indicating lack of inventive step if combined with one or more other documents of same category.	P	Document published on or after the declared priority date but before the filing date of this invention.
&	Member of the same patent family	E	Patent document published on or after, but with priority date earlier than, the filing date of this application.



Application No: GB 9902631.2  
Claims searched: 43

Examiner: Mike Davis  
Date of search: 24 June 1999

**Patents Act 1977**  
**Further Search Report under Section 17**

**Databases searched:**

UK Patent Office collections, including GB, EP, WO & US patent specifications, in:

UK Cl (Ed.Q): G4H (HJ, HNP)

Int Cl (Ed.6): G06F

Other:

**Documents considered to be relevant:**

Category	Identity of document and relevant passage	Relevant to claims
X	GB 2307575 A (SAFEWAY) eg abstract	43

X	Document indicating lack of novelty or inventive step	A	Document indicating technological background and/or state of the art.
Y	Document indicating lack of inventive step if combined with one or more other documents of same category.	P	Document published on or after the declared priority date but before the filing date of this invention.
&	Member of the same patent family	E	Patent document published on or after, but with priority date earlier than, the filing date of this application.



Application No: GB 9902631.2  
Claims searched: 44

Examiner: Mike Davis  
Date of search: 24 June 1999

**Patents Act 1977**  
**Further Search Report under Section 17**

**Databases searched:**

UK Patent Office collections, including GB, EP, WO & US patent specifications, in:

UK Cl (Ed.Q): G4H (HJ, HNP)

Int Cl (Ed.6): G06F

Other:

**Documents considered to be relevant:**

Category	Identity of document and relevant passage	Relevant to claims
X	WO 97/29452 A1 (NEWMAN ET AL) eg abstract	44

X	Document indicating lack of novelty or inventive step	A	Document indicating technological background and/or state of the art.
Y	Document indicating lack of inventive step if combined with one or more other documents of same category.	P	Document published on or after the declared priority date but before the filing date of this invention.
&	Member of the same patent family	E	Patent document published on or after, but with priority date earlier than, the filing date of this application.

This Page Blank (uspto)